

Work Order ID 76538

\*76538\*

Page 1

Wednesday, November 16, 2011 12:56:42 PM

Item ID: D4095-049

Accept

\*N900040100\*

Setup Start \*NS1\*

Revision ID:

Stop \*NS2\*

Item Name: Wearpad Assembly

Start Date: 11/17/2011 Start Qty: 6.00

\*6\*

Cust Item ID:

Required Date: 11/25/2011 Req'd Qty: 6.00

\*6\*

Customer:

Reference:

Approvals:

Process Plan: M.L.J

Date: 11/11/11 Tooling:

Date:

Run Start \*NR1\*

QC:

Date:

SPC (Y/N):

Date:

Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D4095

B

100

0.00

\*100\*

FLOW WATER JET

Waterjet

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg (D4095-9)

Dwg Rev:

Prog Rev:

2-Deburr if necessary

R1-1-18

12

110

QC2- Inspect parts off machine FAI/FAIB

0.00

\*110\*

QC

Memo

0.00

Quality Control

R1-1-18

120

QC8- Inspect parts - second check

0.00

\*120\*

QC

Memo

0.00

Quality Control

Suhlio

H1

Pb →

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
4/14/18	1	took qty +1 for QC Template	S	4/14/18	1	S 4/14/18 CS2012	S 4/14/18

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
		1						

**NOTE:** Date & initial all entries

# Work Order ID 76538

**\*76538\***

Page 2

Wednesday, November 16, 2011 12:56:42 P

Item ID: D4095-049

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Item Name: Wearpad Assembly

Stop **\*NS2\***

Start Date: 11/17/2011 Start Qty: 6.00

**\*6\***

Cust Item ID:

Required Date: 11/25/2011 Req'd Qty: 6.00

**\*6\***

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

130

Form as per dwg  
NC BRAKE

0.00

**\*130\***

Brake NC

Memo

0.00

Brake NC

8/11/12

11

140

QC5- Inspect part completeness to step on W/O

0.00

**\*140\***

QC

Memo

0.00

Quality Control

8/11/12

11

150

Weld per dwg A/R Hardcoat S.S. Batch 11/19/15  
Large Fab

0.00

**\*150\***

Large Fab

Memo

0.00

Large Fab

X11 11-12-21 JDL

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 76538

**\*76538\***

Page 3

Wednesday, November 16, 2011 12:56:42 P

Item ID: D4095-049

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Wearpad Assembly

Start Date: 11/17/2011 Start Qty: 6.00

**\*6\***

Cust Item ID:

Required Date: 11/25/2011 Req'd Qty: 6.00

**\*6\***

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

160

QC10- Inspect visual per QSI004- ground welds

0.00

**\*160\***

QC

Memo

0.00

Quality Control

170

QC5- Inspect part completeness to step on W/O

0.00

**\*170\***

QC

Memo

0.00

Quality Control

180

0.00

**\*180\***

HandFinish

Memo

0.00

Hand Finishing

COAT ENTIRE TOP (CONCAVE) SURFACE WITH ROCKGUARD AS PER  
DWG  
A/R ROCKGUARD BATCH: 119947

*M/12/28*

(11)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Work Order ID 76538

Wednesday, November 16, 2011 12:56:42 P

**\*76538\***

Page 4

Item ID: D4095-049 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Wearpad Assembly  
 Start Date: 11/17/2011 Start Qty: 6.00 **\*6\*** Cust Item ID:  
 Required Date: 11/25/2011 Req'd Qty: 6.00 **\*6\*** Customer:  
 Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start **\*NR1\***  
 QC: Date: SPC (Y/N): Date: Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190 <b>*190*</b> QC Quality Control	QC3- Inspect Part Finish  Memo	0.00 0.00		5.2/01/02 (+10)					<del>11/17/02</del> 12/01/02
200 <b>*200*</b> Packaging Packaging	Identify as per dwg & Stock Location: <u>FP-1</u>  Memo	0.00 0.00							11/17/02 12/01/02 counted & measured
210 <b>*210*</b> QC Quality Control	QC21- Final Inspection - Work Order Release  Memo	0.00 0.00							OK 12/01/03 mf 12-01-03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



# Picklist Print

Wednesday, November 16, 2011 12:56:41

Page 1

Work Order ID: 76538

Parent Item: D4095-049

Parent Item Name: Wearpad Assembly

Start Date: 11/17/2011

Required Date: 11/25/2011

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP rev.A 11.11.07 new issue EC verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S16GA 304/316 Sheet .063		Purchased	No				sf	28.1000		0.642 181+11-18			
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				MAT020				28.1					
				119346				28.1					

119563

12

1.5

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries


SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT

WITHOUT NOTICE  
WORK ORDER  
NO. 76538 M.L.J  
1111/17

ITEM	QTY -041	QTY -043	QTY -045	QTY -047	QTY -049	QTY -051	PART NUMBER	DESCRIPTION
1	X						D4095-041	WEARPLATE ASSEMBLY
2		X					D4095-043	WEARPLATE ASSEMBLY
3			X				D4095-045	WEARPLATE ASSEMBLY
4				X			D4095-047	WEARPAD ASSEMBLY
5					X		D4095-049	WEARPAD ASSEMBLY
6						X	D4095-051	WEARPAD ASSEMBLY
7	1						D4095-1	WEARPLATE
8		1					D4095-3	WEARPLATE
9			1				D4095-5	WEARPLATE
10				1			D4095-7	WEARPAD
11					1		D4095-9	WEARPAD
12						1	D4095-11	WEARPAD
13	A/R	A/R	A/R	A/R	A/R	A/R	4715 (4714)	PLUS ONE ROCKGUARD BLACK (TAN)



**D4095-041 WEARPLATE ASSEMBLY**



**D4095-043 WEARPLATE ASSEMBLY**



**D4095-045 WEARPLATE ASSEMBLY**

**D4095-041/-043/-045/-047/-049/-051 NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: COAT ENTIRE TOP (CONCAVE) SURFACE WITH PLUS ONE ROCKGUARD 4714 OR 4715, 0.02-0.04 THICK
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4095-0XX" AND B/N "BXXXXX" USING REMOVABLE TAG PER QSI 044 6.6
- 7) WEIGHT: D4095-041 = 3.08 lbs; D4095-043 = 3.08 lbs; D4095-045 = 2.00 lbs; D4095-047 = 0.48 lbs; D4095-049 = 0.42 lbs; D4095-051 = 0.37 lbs
- 8) PARTS ARE SYMMETRIC ABOUT C

B	REVISED D4095-1/-1F/3/3F; 4715 PLUS ONE ROCKGUARD REPLACES D4095-1/-3; ADDED D4095-5/-7/-9/-11; REVISED HARDCOAT DESIGN; REVISED NOTE 2	XDF	11.10.18
A	NEW ISSUE	MB	10.04.20
REV.	DESCRIPTION	BY	DATE
DESIGN	J		
DRAWN	XDF		
CHECKED	10		
MFG. APPR.	10		
APPROVED	10		
DE APPR.	10		
DATE	11.10.18		
<b>DART AEROSPACE USA, INC</b> KENT, WA DRAWING NO. D4095 TITLE WEARPLATE REV. B SHEET 1 OF 8 SCALE NTS COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_



NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



76538




**D4095-047 WEAR PAD ASSEMBLY**



**D4095-049 WEAR PAD ASSEMBLY**



**D4095-051 WEARPAD ASSEMBLY**



RELEASED  
2011-10-31  
WMP

DESIGN		<b>DART AEROSPACE USA, INC</b>	
DRAWN	XDF	KENT, WA	
CHECKED	10	DRAWING NO.	REV. B
MFG. APPR.	10	D4095	SHEET 2 OF 8
APPROVED	10	TITLE	SCALE
DE APPR.	10	WEARPLATE	NTS
DATE	11.10.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

76538



**D4095-1F FLAT PATTERN** 1



**D4095-1 BENDING DETAIL**  
(MAKE FROM D4095-1F)

**D4095-1/-1F/-3/-3F/-5/-5F/-7/-7F/-9/-9F/-11/-11F NOTES:**

- 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH, 16 GAUGE (0.063 THICK)  
PER AMS 5513 (304) OR AMS 5524 (316), OR ASTM A240 OR ASME SA240  
REF DART MATERIAL SPEC M304S16GA
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.015 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: D4095-1 = 3.00 lbs; D4095-3 = 3.00 lbs; 4095-5 = 1.96 lbs; D4095-7 = 0.47 lbs; D4095-9 = 0.41 lbs; D4095-13 = 0.36 lbs
- 8) WELDING: PER DART QSI 004
- 9) PARTS ARE SYMMETRIC ABOUT C

DESIGN		DART AEROSPACE USA, INC	
DRAWN	XDF	KENT, WA	
CHECKED	10	DRAWING NO.	REV. B
MFG. APPR.	10	D4095	SHEET 3 OF 8
APPROVED	10	TITLE	SCALE
DE APPR.	10	WEARPLATE	NTS
DATE	11.10.18	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASED  
2011-10-31

# Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


**NOTE:** Date & initial all entries



76538



**D4095-3F FLAT PATTERN** 1



**D4095-3 BENDING DETAIL**  
(MAKE FROM D4095-3F)

RELEASE  
2011-10-31

DESIGN		<b>DART AEROSPACE USA, INC</b>	
DRAWN	XDF	KENT, WA	
CHECKED	10	DRAWING NO.	REV. B
MFG. APPR.	10	D4095	SHEET 4 OF 8
APPROVED	10	TITLE	SCALE
DE APPR.	10	WEARPLATE	NTS
DATE	11.10.18	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

76538



**D4095-1 WELDING DETAIL**



**D4095-3 WELDING DETAIL**



RELEASED  
2011-10-31  
M

DESIGN		<b>DART AEROSPACE USA, INC</b>	
DRAWN	XDF	KENT, WA	
CHECKED	<i>HP</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>HP</i>	D4095	SHEET 5 OF 8
APPROVED	<i>HP</i>	TITLE	SCALE
DE APPR.	<i>HP</i>	WEARPLATE	NTS
DATE	11.10.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

76538



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries


76538




**D4095-7F FLAT PATTERN**




**D4095-9F FLAT PATTERN**




**D4095-11F FLAT PATTERN**



**D4095-7 LONGITUDINAL BEND**  
(MADE FROM D4095-7F)



**D4095-9 LONGITUDINAL BEND**  
(MADE FROM D4095-9F)



**D4095-11 BENDING DETAIL**  
(MAKE FROM D4095-11F)

2011-10-31

DESIGN		<b>DART AEROSPACE USA, INC</b>	
DRAWN	XDF	KENT, WA	
CHECKED	10	DRAWING NO.	REV. B
MFG. APPR.	10	D4095	SHEET 7 OF 8
APPROVED	10	TITLE	SCALE
DE APPR.	10	WEARPLATE	NTS
DATE	11.10.18	COPYRIGHT © 2010 BY DART AEROSPACE USA, INC	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries




76538



**DETAIL A: TAB DETAIL**

SCALE 4X


C3-3  
C6-4  
D3-6  
D2-7



**DETAIL B: JOGGLE DETAIL**

SCALE 4X


B2-3  
B6-3  
B3-4  
B2-6



**SECTION E-E**

SCALE 2X

B5-6  
B2-7




**SECTION C-C**

SCALE 2X

B5-3  
B4-4

APPLY 2 LAYERS OF  
2059B HARDCOAT WELDS  
TO WITHIN 0.25 OF  
WEARPAD ENDS  
0.188 TO 0.250 THICK




**SECTION D-D**

SCALE 2X

B4-3  
B5-4

APPLY 2 LAYERS OF  
2059B HARDCOAT WELDS  
TO WITHIN 0.25 OF  
WEARPAD ENDS  
0.188 TO 0.250 THICK



**SECTION F-F**

SCALE 2X

B5-7  
B7-7

APPLY 2 LAYERS OF  
2059B HARDCOAT WELDS  
TO WITHIN 0.25 OF  
WEARPAD ENDS  
0.188 TO 0.250 THICK

RELEASED  
2011-10-31  
JMP

DESIGN		<b>DART AEROSPACE USA, INC</b>	
DRAWN	XDF	KENT, WA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4095	SHEET 8 OF 8
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	WEARPLATE	NTS
DATE	11.10.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries